



MATTHEW G. BEVIN
GOVERNOR

CHARLES G. SNAVELY
SECRETARY

ENERGY AND ENVIRONMENT CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION

ANTHONY R. HATTON
COMMISSIONER

300 SOWER BOULEVARD
FRANKFORT, KENTUCKY 40601

May 30, 2019

Mr. Ronnie Robinson
Robinson Stave Inc
1812 KY 3434
East Bernstadt, KY 40729

Re: KYR00 Coverage Acknowledgment
KPDES No.: KYR003792
Robinson Stave Co
AI ID: 2591
Laurel County, Kentucky

Dear Mr. Ronnie Robinson:

Effective on the first of the month following the date of this letter, the Kentucky Division of Water (DOW) has determined to extend coverage under the "General Permit for Stormwater Discharges Associated with Industrial Activity from Other Facilities" (KYR000000) for the referenced facility. A copy of KYR000000 and its accompanying Fact Sheet are available on the KYR00 Permit Page at the following link: <https://eec.ky.gov/Environmental-Protection/Water/PermitCert/KPDES/Documents/KYR00PermitPage.pdf>

Outfall No.	Description	Receiving Stream	Latitude	Longitude
001	Stormwater Only	UT into Little Raccoon Creek	37.1894	-84.1067
002	Stormwater Only	UT into Little Raccoon Creek	37.1882	-84.1055
003	Stormwater Only	UT into Little Raccoon Creek	37.1885	-84.1096
UT means Unnamed Tributary				

Electronic submission of Discharge Monitoring Reports (DMRs) using NetDMR is required beginning with the effective date of coverage under the KYR000000 general permit. NetDMR instructions are available at: <https://eec.ky.gov/Environmental-Protection/Water/SubmitReport/Pages/NetDMR.aspx>. This site has step-by-step instructions for [NetDMR Production](#).

If in the future you wish to amend or renew this KPDES permit coverage, you can recall this action by using the following Transaction ID to generate an eNOI template: **j063otwz-50ne-xtsc-w4wk-sfapgubkbsyo**. The KYR00-eNOI is available on the KYR00 Permit Page located at the link provided in the first paragraph.

Any person aggrieved by the issuance of a permit final decision may demand a hearing pursuant to KRS 224.10-420(2) within thirty (30) days from the date of the issuance of this letter. Any demand for a hearing on the permit shall be filed in accordance with the procedures specified in KRS 224.10-420, 224.10-440, 224.10-470, and the regulations promulgated thereto. The request for hearing should be submitted in writing to the Energy and Environment Cabinet, Office of Administrative Hearings, 211 Sower Boulevard, Frankfort, Kentucky 40601 and the Commonwealth of Kentucky, Energy and Environment Cabinet, Division of Water, 300 Sower Boulevard, Frankfort, Kentucky 40601. For your record keeping purposes, it is recommended that these requests be sent by certified mail. The written request must conform to the appropriate statutes referenced above.



Coverage Letter
KPDES No.: KYR003792
May 30, 2019
Page 2

Should you have any questions regarding this matter, please contact Surface Water Permits Branch (SWPB) Support at (502) 564-3410 or by e-mail at SWPBsupport@ky.gov.

Sincerely,

A handwritten signature in black ink that reads "Aaron Jacob Crouch". The signature is written in a cursive style with a large initial 'A'.

Aaron Crouch, Permit Writer
Surface Water Permits Branch
Division of Water

cc: William Larkey
Robert Miller, London Regional Office
ARM

Coverage Letter
KPDES No.: KYR003792
May 30, 2019
Page 3